

---

## TOPIC: The Diagnosis And Treatment Of Lymphedema

### REFERENCES

1. Foldi E, et al. (2005). The Science of Lymphoedema Bandaging in Calne, S. Editor. European Wound Management Association (EWMA). Focus Document: Lymphoedema Bandaging in Practice. London: MEP Ltd, 2-4
2. Casley-Smith, J. (1995). Alterations of untreated lymphedema and its grades over time. *Lymphology*, 28, 174-185
3. MacLaren, J. (2001). Skin changes in lymphoedema: pathophysiology and management options. *Int J Palliat Nurs*, 7, 381-388
4. Yasuhara, H. (1996). A study of the advantages of elastic stockings for leg lymphedema. *Int Angiol*, 15, 272-277
5. Gordon, K (2007). A guide to lymphedema. *Expert Review of Dermatology*, 2 (6) 741-752
6. Armer J et al. (2009) 30-month post-breast cancer treatment lymphoedema. *J Lymphoedema*, 4, 14-18
7. Ridner, S. (2009) The PsychoSocial Impact of Lymphedema. *Lymphat Res Biol*. 7, 109-112
8. Ahmed, R. J (2008) Lymphedema and Quality of Life in Breast Cancer. *Survivors: The Iowa Women's Health Study*. *Clin Oncol* 26, 5689-5696
9. Shih, Y. (2009) Incidence, Treatment Costs, and Complications of Lymphedema After Breast Cancer Among Women of Working Age: A 2-Year Follow-Up Study. *JCO* 27, 2007-2014
10. Executive Committee of International Society of Lymphology (2009) The Diagnosis and Treatment of Peripheral Lymphedema. Consensus Document of the International Society of Lymphology. *Lymphology*, 42, 51-60
11. Mayrovitz HN (2009) The standard of care for lymphedema: current concepts and physiological considerations. *Lymphat Res Biol* 7, 101-8
12. Szuba, A (2000) Decongestive lymphatic therapy for patients with cancer-related or primary lymphedema. *American Journal of Medicine*, 109, 296-300
13. Godette, K. (2006) Can Manual Treatment of Lymphedema Promote Metastasis? *J Soc Integrat Oncol*. 4, 8-12
14. Pinell, XA et al. (2008) Manipulative therapy of secondary lymphedema in the presence of locoregional tumors. *Cancer* 112, 950-954,
15. Hinrichs CS, et al. (2004) The effectiveness of complete decongestive physiotherapy for the treatment of lymphedema following groin dissection for melanoma. *J Surg Oncol*. 85: 187-192
16. Lasinski, B. (2002). Comprehensive lymphedema management: results of a five-year follow-up. *Lymphology*, 35, 301-305.
17. Morgan, R.G. (1992). Complex physical therapy for the lymphoedematous arm. *J Hand Surg*, 17, 437-441
18. Thomas, RC et al. (2007) Reduction of lymphedema using complete decongestive therapy: roles of prior radiation therapy and extent of axillary dissection. *J Soc Integrat Oncol*. 5, 87-91
19. Koul et al. (2007) Efficacy of complete decongestive therapy and manual lymphatic drainage on treatment related lymphedema in breast cancer. *Int. J. Radiation Oncology Biol. Phys*, 67, 841-846.
20. Foldi, E. (1989). The lymphedema chaos: a lancet. *Ann Plast Surg*, 22, 505-515.
21. Foldi E, (1998) The Treatment of Lymphedema. *Cancer* 83 Suppl 12B, 2833-2834.
22. Ko, D. (1998). Effective treatment of lymphedema of the extremities. *Arch Surg*, 133, 452-458

23. Boris M, et al (1994). Lymphedema reduction by noninvasive complex lymphedema therapy. *Oncology*. 9, 95-106
24. Johnstone, PA et al. (2006) Role of patient adherence in maintenance of results after manipulative therapy for lymphedema *J Soc Integr Oncol*. 4, 125-9
25. Mondry T et al (2004) Prospective trial of complete decongestive therapy for upper extremity lymphedema after breast cancer therapy, 10, 42-8
26. Hammer JB et al. (2007) Lymphedema Therapy Reduces the Volume of Edema and Pain in Patients with Breast Cancer. *Annals of Surgical Oncology* 14, 1904–1908.
27. Ferrandez, J. (1996). Lymphoscintigraphic aspects of the effects of manual lymphatic drainage. *J Mal Vasc*, 21, 283-289
28. Franzcek U et al (1997) Combined physical therapy for lymphedema evaluated by fluorescence microlymphography and lymph capillary pressure measurements. *J Vasc Res*, 34, 306-311
29. Hayes, S et al.(2008) Lymphedema After Breast Cancer: Incidence, Risk Factors, and Effect on Upper Body Function. *J Clin Oncol* 28, 3536-3542
30. Weiss, J. (2002). The effect of complete decongestive therapy on the quality of life of patients with peripheral lymphedema. *Lymphology*, 35, 46-58.
31. Kim SJ et al. (2007) Effect of Complex Decongestive Therapy and the Quality of Life in Breast Cancer Patients with Unilateral Lymphedema. *Lymphology* 40, 143-151.
32. Cormier, JN et al. (2009) Minimal limb volume change has a significant impact on breast cancer survivors. *Lymphology* 42, 161-175
33. Hormes, JM et al. (2010) Impact of lymphedema and arm symptoms on quality of life in breast cancer survivors. *Lymphology* 43, 1-13
34. Fu, M et al (2009) Breast Cancer Survivors' Experiences of Lymphedema-Related Symptoms *J Pain Symptom Manage*;38:849e859.
35. Vignes, S (2006) Recurrence of lymphoedema-associated cellulitis (erysipelas) under prophylactic antibiotherapy: a retrospective cohort study *JEADV*;20:, 818–822
36. Cooper, R et al. (2009) Cutaneous Infections in Lymphoedema. *Journal of Lymphoedema*, 4, 44-48
37. Al\_Niaini, F et al.(2009) Cellulitis and Lymphoedema, A Vicious Cycle. *Journal of Lymphoedema*. 4, 38-42
38. Godoy J et al. (2007) Prevalence of cellulitis and erysipelas in post-mastectomy patients after breast cancer. *Arch Med Sci*, 3, 249-251
39. Chamilos, G (2006) Refractory Cellulitis in a Woman With Chronic Lymphedema *Infectious Diseases in Clinical Practice*, 14 ,244-245
40. Schwartz, RA (2010) Stewart Treves Syndrome: Follow Up. <http://emedicine.medscape.com/article/1102114-followup>
41. Chopra, S et al. (2007) MRI of angiosarcoma associated with chronic lymphoedema:Stewart–Treves syndrome *The British Journal of Radiology*, 80 e310–e313
42. Tomita, K et al.(1988) Lymphangiosarcoma in postmastectomy lymphedema (Stewart-Treves syndrome): ultrastructural and immunohistologic characteristics. *J Surg Oncol*. 38, 275-82.
43. Ruocco V, et al (2002) Lymphedema: an immunologically vulnerable site for development o f neoplasms. *J Am Acad Dermatol*. 47, 124 -127.
44. McHaffie, DR et al. (2010) Stewart-Treves Syndrome of the Lower Extremity. *JCO* 28, e351-e352
45. Gur, A et al. (2009) Risk factors for breast cancer-related upper extremity lymphedema. *Central European Journal of Medicine*. 4, 65-70
46. Didem, K et al (2005) The comparison of two different physiotherapy methods in treatment of lymphedema after breast surgery *Breast Cancer Research and Treatment* 93, 49–54

47. Williams, AF et al (2002) A randomized controlled crossover study of manual lymphatic drainage therapy in women with breast cancer-related lymphoedema. *European Journal of Cancer Care* 11, 254–261
48. McNeely, M. (2004). The addition of manual lymph drainage to compression therapy for breast cancer related lymphoedema: a randomized controlled trial *Breast Cancer Res Treat*, 86, 95-106.
49. Yamamoto et al. (2008) Study of Edema Reduction Patterns During the Treatment Phase of Complex Decongestive Physiotherapy for Extremity Lymphedema. *Lymphology* 41 80-86
50. Foldi E, et al. (2005) The Science of Lymphoedema Bandaging. In Calne, S. Editor. *European Wound Management Association (EWMA). Focus Document: Lymphoedema bandaging in practice*. London: MEP Ltd, 2-4
51. King, T. (2001). Physical properties of short-stretch compression bandages used to treat lymphedema. *Am J Occup Ther*, 55, 573-576
52. Partsch, H. (2007) Assessing the Effectiveness of Multilayer Inelastic Bandaging. *Journal of Lymphoedema*. 2, 55-61
53. Forner-Cordero I et al. (2010) Predictive factors of response to decongestive therapy in patients with breast cancer-related lymphedema. *Ann Surg Oncol*. 17, 744-751
54. Williams, A (2005) Practical Guidance on Lymphoedema Bandaging of the Upper and Lower Extremities. In Calne, S. Editor. *European Wound Management Association (EWMA). Focus Document: Lymphoedema bandaging in practice*. London: MEP Ltd, 10-14
55. Lerner R (2000) Effects of compression bandaging. *Lymphology* 33: 69
56. Hafner J et al (2000) A Comparison of Multilayer Bandage Systems During Rest, Exercise, and Over 2 Days of Wear Time *Arch Dermatol*. 136:857-863
57. McKenzie, D. (2003). Effect of upper extremity exercise on secondary lymphedema in breast cancer patients: a pilot study. *J Clin Oncol*, 21, 463-466
58. Schmitz, KH et al. (2009) Weight Lifting in Women with Breast-Cancer-Related Lymphedema *N Engl J Med* 361:664-73.
59. Moseley AL et al: (2005) The Effect of Gentle Arm Exercise and Deep Breathing on Secondary Arm Lymphedema. *Lymphology* 38 136-145
60. Schmitz KH. Balancing lymphedema risk: exercise versus deconditioning for breast cancer survivors. *Exerc. Sports Sci. Rev.* 2009; 38:17-24
61. Johansson K, et al. (2005) Low intensity resistance exercise for breast cancer patients with arm lymphedema with or without compression sleeve. *Lymphology* 38,167-80
62. Mustian, K et al. (2009). Exercise for the Management of Side Effects and Quality of Life among Cancer Survivors. *Curr Sports Med Rep* 8; 325-330
63. Vaillant, L. (2002). Infectious complications of lymphedema. *Rev Med Interne*, 23, 403-407
64. Mallon, E. (1994). Lymphedema and wound healing. *Clin Dermatol*,12, 89-93
65. Macdonald, J. (2001). Wound healing and lymphedema: a new look at an old problem. *Ostomy Wound Manage*, 47, 52-57.
66. Badger CM, et al (2000) A randomized, controlled, parallel-group clinical trial comparing multilayer bandaging followed by hosiery versus hosiery alone in the treatment of patients with lymphedema of the limb. *Cancer* 88, 2832-37
67. Cornu-Thenard, A et al. (2007) Superimposed Elastic Stockings: Pressure Measurements *Dermatol Surg* 33:269–275
68. Lund, E. (2000). Exploring the use of CircAid legging in the management of lymphoedema. *Int J Palliat Nurs*, 6, 383-391
69. Fu, M.R et al. (2008). Breast Cancer-Related Lymphedema: Information, Symptoms, and Risk Reduction Behaviors. *J Nurs Scholarsh*, 40, 341-348.
70. Fife, C et al. Lymphoedema in Bariatric Patients. *J Lymphoedema*. 4, 29-37,
71. Petrek, JA (2001) Lymphedema in a Cohort of Breast Carcinoma Survivors: 20 years after diagnosis. *Cancer*. 92, 1368-77

72. Soran, A et al. (2006) Breast Cancer Related Lymphedema-What are the Significant Predictors and how they affect the severity of lymphedema. *Breast J*, 12, 536-43,
73. Mahamaneerat, K et al. Breast Cancer Treatment, BMI, PostOp swelling/lymphoedema. *J Lymphoedema*. 3, 38-44.
74. Helyer LK, et al. (2010) Obesity is a risk factor for developing postoperative lymphedema in breast cancer patients. *Breast J.*; 16, 48-54
75. Shaw, S et al. (2007) A Randomized Controlled Trial of Weight Reduction as a Treatment for Breast Cancer-related Lymphedema. *Cancer*, 110, 1868–74
76. Lewin, J et al. (2010) Preliminary Experience With Head and Neck Lymphedema and Swallowing Function in Patients Treated for Head and Neck Cancer. *Perspectives on Swallowing and Swallowing Disorders*. *Dysphagia* 19, 45-52
77. Murphy, B et al. 2010, Late-effect laryngeal oedema/lymphoedema. *Journal of Lymphoedema*, 5, 92-93
78. Smith B et al. (2010) Lymphedema Management in Head and Neck Cancer. *Current Opinions in Otolaryngology and Head and Neck Surgery*. 18,153-158
79. Szolnoky et al.(2009) Intermittent Pneumatic Compression Acts Synergistically With Manual Lymphatic Drainage In Complex Decongestive Therapy. *Lymphology* 42,188-194
80. Miranda F et al. (2001) Effect of Sequential Intermittent Pneumatic Compression On Both Leg Lymphedema Volume and On Lymph Transport As SemiQuantitatively Evaluated by Lymphoscintigraphy. *Lymphology* 34 135-141.
81. Johansson, K. (1988). A randomized study comparing manual lymph drainage with sequential pneumatic compression for treatment of postoperative arm lymphedema. *Lymphology*, 31, 56-64.
82. Adams,KE et al. Direct Evidence of lymphatic function improvement after advanced pneumatic compression device treatment of lymphedema. *Biomedical Optics Express* 1, 114
83. Pappas, C. (1992). Long-term results of compression treatment for lymphedema. *J Vasc Surg*. 16(4). 555-564.
84. Yamazaki, A. (1988). Clinical experience using pneumatic massage therapy for edematous limbs over the last 10 years. *Angiology*. 39. 154-163.
85. Dini, D. (1998). The role of pneumatic compression in the treatment of postmastectomy lymphedema. A randomized phase III study. *Ann Oncol*. 9. 187-190.
86. Szuba, A. (2002). Decongestive lymphatic therapy for patients with breast carcinoma-associated lymphedema. A randomized, prospective study of a role or adjunctive intermittent pneumatic compression. *Cancer*, 95, 2260-2267
87. Szolnoky, G et al. (2008) Complete Decongestive Physiotherapy With and Without Pneumatic Compression For Treatment of Lymphedema: A Pilot Study. *Lymphology* 41: 40-44
88. Partsch, H. (1980). Experimental observations on the effect of a pressure wave massage apparatus (Lympha-Press) in lymphedema. *Phlebologie Proktologie*. 80. 124-128
89. Wilburn, O. (2006). A pilot, prospective evaluation of a novel alternative for maintenance therapy for breast cancer-associated lymphedema. *BMC Cancer*. 6, 84
90. Hammond, T et al. (2009) Programmable Intermittent Pneumatic Compression as a Component of Therapy for Breast Cancer Treatment-Related Truncal and Arm Lymphedema Home Health Care Management Practice Online First, doi:10.1177/1084822309343421
91. Ridner, S et al. (2008) Home-based lymphedema treatment in patients with cancer-related lymphedema or noncancer-related lymphedema. *Oncol Nurs Forum*. 35, 671-80
92. Adams, KE et al. Direct Evidence of lymphatic function improvement after advanced pneumatic compression device treatment of lymphedema. *Biomedical Optics Express* 1, 114
93. Pilch et al. (2009) Influence of Compression Cycle Time and Number of Sleeve Chambers on Upper Extremity Lymphedema Volume Reduction During Intermittent Pneumatic Compression. *Lymphology* 42 26-35
94. Mayrovitz, HN. (2007) Interface pressures produced by two different types of lymphedema therapy devices. *Phys Ther* 87, 1379-1388
95. Segers P, Belgrado JP, LeDuc A, et al. Excessive pressure in multichambered cuffs used for sequential compression therapy. *Phys Ther*. 2002; 82:1000-1008

96. Boris, M. (1998). The risks of genital lymphedema after pump treatment for lower limb lymphedema. *Lymphology*. 31, 50-20.
97. Gloviczki, P. (1999). Principles of surgical treatment of chronic lymphoedema. *International Angiology*, 18, 42-46.
98. Vignes, S. (2002). Role of surgery in the treatment of lymphedema. *Rev. Med Interne*. 23, 426-430.
99. Miller, T.A. (1998). Staged skin and subcutaneous excision for lymphedema: a favorable report of long-term results. *Plast Reconstr Surg*, 102, 1486-498.
100. Kim, D.I. (2004). Excisional surgery for chronic advanced lymphedema. *Surgery Today*, 34, 134-137
101. Salgado CJ, Sassu P, Gharb BB, et al. Radical reduction of upper extremity lymphedema with preservation of perforators. *Ann Plast Surg*. Sep 2009;63(2):302-6
102. Brorson, H. (2003). Liposuction in arm lymphedema treatment. *Scand J Surg*. 92, 287-95.
103. Brorson H, Ohlin K, Olsson G, Svensson B. Liposuction of leg lymphedema: Preliminary 2 year results. *Lymphology* 2006; 39
104. Fazhi Q et al, (2009) Treatment of upper limb lymphedema with combination of liposuction, myocutaneous flap transfer, and lymph-fascia grafting: A preliminary study. *Microsurgery*. 29, 29-34.
105. Slavin SA et al.(1999) Return of lymphatic function after flap transfer for acute lymphedema. *Ann Surg*. 229,421-7
106. Weiss M, et al (2003) Dynamic lymph flow imaging in patients with oedema of the lower limb for evaluation of the functional outcome after autologous lymph vessel transplantation: an 8-year follow-up study. *Eur J Nucl Med Mol Imaging*; 30, 202-206.
107. Becker C, et al ( 2006) Post mastectomy lymphedema: long-term results following microsurgical lymph node transplantation. *Ann Surg*; 243, 313-315)
108. Koshima, I. (2000). Supermicrosurgical lymphaticovenular anastomosis for the treatment of lymphedema in the upper extremities. *J Reconstr Microsurg*, 16, 437-442.
109. Baumeister, R.G. (2003). The microsurgical lymph vessel transplantation. *Handchir Mikrochir Plast Chir*, 35, 202-209.
110. Abalmasov, K.G. (2003). Lymphedema of the extremities: prospects of microsurgical treatment. *Angiol Sosud Khir*, 9, 66-79.
111. Vignes, S. (2003). Quantitative evaluation and qualitative results of surgical lymphovenous anastomosis in lower limb lymphedema. *J Mal Vasc*, 28, 30-35.
112. Chang, D. (2010): Lymphaticovenular Bypass for Lymphedema Management in Breast Cancer Patients: A Prospective Study. *Plastic & Reconstructive Surgery* 126, 752-758.
113. Campisi C, et al, (2006) Lymphatic microsurgery for the treatment of lymphedema. *Microsurgery*; 26(1): 65-69.
114. Campisi C et al (2004) Microsurgical techniques for lymphedema treatment: derivative lymphatic-venous microsurgery. *World J Surg* 28(6): 609-13.
115. Narushima M, et al (2010) The intravascular stenting method for treatment of extremity lymphedema with multiconfiguration lymphaticovenous anastomoses. *Plast Reconstr Surg*. 125, 935-943
116. Casley-Smith, J. (1993). Treatment of lymphedema of the arms and legs with 5, 6 benzo-a-pyrone. *N Engl J Med*, 329, 1158-1163.
117. Casley-Smith, J. (1993). Treatment of filarial lymphodema and elephantiasis with 5, 6 benzo-a-pyrone (coumarin). *Br Med J*. 307, 1037-1041.
118. Loprinzi, C. (1999). Lack of effect of coumarin in women with lymphedema after treatment for breast cancer. *N Engl J Med*. 340, 346-50.
119. Taylor, H. (1993). A double blind clinical trial of hydroxyethylrutosides in obstructive arm lymphodema. *Phlebology*, 8, 22-28.
120. Mortimer, P. (1995). A double-blind, randomized parallel-group, placebo-controlled trail of O-(β-hydroxyethyl)-rutosides in chronic arm oedema resulting from breast cancer treatment. *Phlebology*.10, 51-55.

121. Kendall, S. (1993). Effects of hydroxyethylrutosides on the permeability of microvessels in t frog mesentery. *Br J Pharmacol.* 110, 199-206.
122. Bouskela, E. (1999). Effects of diosmin-hesperidin on increased microvascular permeability in the hamster cheek pouch. *International Journal of the Microcirculation: Clinical and Experimental*, 14, 79.
123. Cotonat, A. (1989). Lymphangogue and pulsatile activities of Daflon 500 mg on canine thoracic lymph duct. *International Angiology*, 8, 15-18
124. Siebert U, et al. (2002) Efficacy, routine effectiveness, and safety of horsechestnut seed extract in the treatment of chronic venous insufficiency. A meta-analysis of randomized controlled trials and large observational studies. *Int Angiol.* 4, 305-315
125. Micke O, et al. (2003) Selenium in the treatment of radiation-associated secondary lymphedema. *Int J Radiat Oncol Biol Phys* . 56, 40-9
126. Bruns F, et al.(2004) Selenium in the treatment of head and neck lymphedema. *Med. Princ Pract.* 13:185-90.
127. Cirelli, M. (1962). Treatment of inflammation and edema with bromelain. *Delaware Med J*, 34,159-167.
128. Seligman, B. (1969). Oral bromelains as adjuncts in the treatment of acute thrombophlebitis. *Angiology*, 20, 22-6.
129. Schafer A. (1985). Plasma inhibition of platelet function and of arachidonic acid metabolism. *J Clin Invest*, 75, 456-461.
130. Kelly, G. (1996). Bromelain: a literature review and discussion of its therapeutic applications. *Altern Med Rev*, 1, 243-257.
131. Munzig, E. (1995). Bromelain protease F9 reduces the CD44 mediated adhesions of human peripheral blood lymphocytes to human umbilical vein endothelial cells. *FEBS Lett*, 351, 215-218.
132. Gaby, A. (1995). The story of bromelain. *Nutr Healing*, 3, 4-11.)
133. Piller et al Placebo controlled trial of mild electrical stimulation. *Journal of Lymphoedema*, 2010, Vol 5, No 1. 15-25.
134. Moseley AL et al. The Sun Ancon Chi Machine Aerobic Exerciser: A New Patient Focused Home Based Therapy For People with Chronic Secondary Leg Lymphedema. *Lymphology* 37 (2004) 53-61.
135. Carati C, et al. Treatment of Postmastectomy Lymphedema with Low-Level Laser Therapy. *Cancer* 2003;98:1114–22
136. Hafner, A et al. (2005) Combined modality treatment of lymphedema using the Reid Sleeve and the Biocompression Optiflow system. *Journal of Clinical Oncology.* 23(s), 592.
137. Lawrence, S. (2008) Use of a Velcro Wrap System in the management of lower limb lymphoedema/oedema. *Journal of Lymphoedema*, 3, 65-70
138. Warren, A et al. (2007) Lymphedema: A comprehensive review. *Annals of Plastic Surgery*, 59, 464-472
139. Tidhar, D et al. (2010) Aqualymphatic therapy in women who suffer from breast cancer treatment-related lymphedema: a randomized controlled study. *Support Care Cancer.* 18: 383-392
140. Jahr, S et al. (2008) Effect of treatment with low intensity and extremely low frequency electrostatic fields (deep oscillation) on breast tissue and pain on patients with secondary breast lymphoedema. *J Rehabil Med.* 40, 645-650
141. Omar A et al. (2010) Treatment of Post Mastectomy Lymphedema with laser therapy: double blind placebo control randomized study. *J Surg Research*, 165, 82-90
142. Kozanoglu E et al, (2009) Efficacy of Pneumatic Compression and Low Level Laser Therapy in the treatment of post mastectomy lymphoedema: a randomized controlled trial. *Clin Rehabil.* 23, 117-124
143. Armer J et al. (2010) Post Breast Cancer Lymphedema: Incidence Increases from 12 to 30 to 60 months. *Lymphology* 43, 118-127.
144. Ward, L, (2006) Bioelectrical Impedance Analysis: Proven Utility in Lymphedema Risk Assessment and Therapeutic Monitoring. *Lymph Res Biol.* 4, 51-56
145. Moseley A et al (2007) Endermologie (with and without compression bandaging)--a new treatment option for secondary arm lymphedema. *Lymphology*, 40, 129-137.

146. Lee B et al.(2010) Diagnosis and treatment of primary lymphedema. Consensus document of the International Union of Phlebology (IUP)-2009. *Int Angiol* 29,454-70
147. Moseley A et al. (2008) Reliability of bioimpedance spectroscopy and tonometry after breast conserving cancer treatment. *Lymphatic Res Biol*, 6, 85-7
148. Moseley A et al. (2002) Combined opto-electronic perometry and bioimpedance to measure objectively the effectiveness of a new treatment intervention for chronic secondary leg lymphedema. *Lymphology*. 35. 136-43
149. Rockson, S et al. (2007) Bioimpedance analysis in the assessment of lymphoedema diagnosis and management. *J Lymphoedema*. 2, 44-48.
150. Mayrovitz, H (2009) Suitability of single tissue dielectric constant measurements to assess local tissue water in normal and lymphedematous skin. *Clin Physiol Imaging* 29: 123-127
151. Mayrovitz, H (2009) Assessing lymphedema by tissue indentation force and local tissue water. *Lymphology* 42, 88-98
152. Mayrovitz, H (2007) Assessing local tissue edema in postmastectomy lymphedema. *Lymphology* 40, 87-94
153. Corica, GF et al (2006) Objective measurement of scarring by multiple assessors: is the tissue tonometer a reliable option? *J Burn Care Res*. 27, 520-523
154. Mirnajafi, A et al. (2004) A New Technique for Measuring Skin Changes of Patients with Chronic Postmastectomy Lymphedema. *Lymph Res Biol*. 2, 82-85
155. Ridner S, et al. (2007) Comparison of upper limb volume measurement techniques and arm symptoms between healthy volunteers and individuals with known lymphedema *Lymphology* 40, 35-46
156. Chen Y et al. (2008) Reliability of Measurements For Lymphedema in Breast Cancer Patients. *Am J Phys Med Rehabil*. 87, 33-38
157. Chevillat A et al. The Grading of Lymphedema in Oncology Clinical Trials. (2003) *Seminars in Radiation Oncology*. 13, 214-225
158. Gniadecka, M.(1996) Localization of dermal edema in lipodermatosclerosis, lymphedema, and cardiac insufficiency: High frequency ultrasound examination of intradermal echogenicity. *J Amer Acad Derm* 35, 37-41
159. Astrom K et al.(2001) Imaging of primary, secondary and mixed forms of lymphedema. *Acta Radiol*. 42 409-416
160. Deltombe T et al. (2007) Reliability and limits of agreement of circumferential, water displacement and optoelectric volumetry in the measurement of upper limb lymphedema. *Lymphology* 40, 26-34
161. Hayes S et al. (2005) Comparison of Methods to Diagnose Lymphoedema among breast cancer survivors: 6 month follow up. *Br Ca Res Treat*. 89, 221-226
162. Pecking A et al. (2008) Relationship between lymphoscintigraphy and clinical findings in lower limb lymphedema: toward a comprehensive staging. *Lymphology* 41, 1-10
163. Hayes S et al. (2008) Lymphedema secondary to breast cancer: how choice of measure influences diagnosis, prevalence, and identifiable risk factors. *Lymphology* 41,18-28
164. Kramer E. (2001) Lymphoscintigraphy: Defining a Clinical Role. *Lymph Res Biol*. 2, 32-7
165. Bellini C et al (2005) Diagnostic Protocol for Lymphoscintigraphy in Newborns. *Lymphology* 38, 9-15
166. Hwang et al (2007) Lymphoscintigraphy predicts response to complex physical therapy in patients with early stage extremity lymphedema. *Lymphology* 40-172-176
167. Szuba (2007) Presence of Axillary lymph nodes and lymph drainage within arms of women with and without breast cancer-related lymphedema. *Lymphology* 40-81-86
168. Bellini C et al. (2008) Lymphatic Dysplasias in Newborns and Children: the role of lymphoscintigraphy. *J Pediatr* 152. 587-9
169. Ng, M et al. (2010) Clinimetrics of volume measurement in upper limb LE. *J Lymphoedema*. 5, 62-67
170. Unno, N et al. (2008) Quantitative Lymph Imaging for Assessment of Lymph Function using Indocyanine Green Fluorescence Lymphography. *Eur J Vasc Endovasc Surg* 36, 230-236

171. Unno N et al. (2010) A novel method of measuring human lymphatic pumping using indocyanine green fluorescence lymphography. *J Vasc Surg* 52, 946-52
172. Rasmussen J et al.(2009) Lymphatic Imaging in Humans with Near-Infrared Fluorescence. *Curr Opin Biotechnol.* 20-74-82
173. Rasmussen J et al (2010) Human Lymphatic Architecture and Dynamic Transport Imaged Using Near-infrared Fluorescence. *Transl Oncol.*; 3362–372
174. Maus, E. (2010) Near-infrared fluorescence imaging of lymphatics in head and neck lymphedema. *Head and Neck.* Online November 12, 2010. DOI: 10.1002/hed.21538
175. Damstra, R (2008) Diagnosis and Therapy in Children with Lymphoedema. *Plebology* 23: 276-286
176. Ferrell RE (2008) Candidate Gene Analysis in Primary Lymphedema. *Lymphat Res Biol* 6, 69-76
177. Connell, FC (2009) et al Analysis of the coding regions of VEGFR3 and VEGFC in Milroy disease and other primary lymphoedemas. *Hum Genetics* 124, 625-631
178. Boon, L (2011) Pathogenesis of Vascular Anomalies. *Clinics in Plastic Surgery.* 38, 7-19. Online ahead of print November 2010
179. Schumacher, M, et al. (2008) Treatment of Venous Malformations-comparison to lymphatic malformations. *Lymphology.* 41, 139-146
180. Bellini C. (2005) Pulmonary Lymphangiectasia. 38, 111-121
181. Wang, Z. (2005) Clinical Report of congenital lymphatic malformations and partial gigantism of the hands associated with a heterogenous karyotype. *Am J Medical Genetics* 132A, 106-107
182. Gupta, N et al. (2006) A female with hemihypertrophy and chylous ascites- Klippel Trenaunay Syndrome or Proteus Syndrome: a diagnostic dilemma. *Clin Dysmorphol.* 15: 229-231
183. Bellini C et al. (2009) Congenital lymphatic dysplasias: genetics review and resources for the lymphologist. *Lymphology* 42, 36-41
184. Starritt, E et al. (2004) Lymphedema after complete axillary node dissection for melanoma. *Ann Surg* 240, 866-874
185. Cormier, J et al (2010) Lymphedema beyond breast cancer: A systematic review and meta-analysis of cancer-related secondary lymphedema. *Cancer* 116 5138-5149.
186. Chang, S et al (2010) Prospective assessment of postoperative complications and associated costs following inguinal lymph node dissection (ILND) in melanoma patients. *Ann Surg Oncol.* 17, 2764-72
187. Lacomba, M (2010) Effectiveness of early physiotherapy to prevent lymphoedema after surgery for breast cancer: randomised, single blinded, clinical trial
188. Soo, J et al (2008) Lymphatic abnormalities demonstrated by lymphoscintigraphy after lower limb cellulitis. *BrJ Dermatol.* 158, 1350-1353
189. Piller, N, (2009) Phlebolymphoedema/chronic venous lymphatic insufficiency: an introduction to strategies for detection, differentiation and treatment. *Phlebology* 24:51-55
190. Cornish, B et al. (2007) Can bioimpedance spectroscopy tell us about the form of lymphoedema? In Scharfetter and Merwa (Eds) 13th International Conference on Electrical Bioimpedance and 8th Conference on Bioimpedance Tomography. Springer. 795-798.
191. Bar-Ad, et al (2008) Time Course of Mild Arm Lymphedema After Breast Conservation Treatment for Early-Stage Breast Cancer, *Intl Journal Radiation Oncology Biology Physics* 78, 85-90
192. Lawenda, B et al (2009) Lymphedema: A primer on the identification and management of a chronic condition in oncologic treatment. *CA: A Cancer Journal for Clinicians.* 59, 8-24.
193. Bernas, M et al (2010) Lymphedema: How do we diagnose and reduce the risk of this dreaded complication of breast cancer treatment? *Curr Breast Cancer Rep* 2, 53-58.
194. Szuba, A et al. (2003) The third circulation: radionuclide lymphoscintigraphy in the evaluation of lymphedema. *J Nucl Med,* 44, 43-57

195. Szuba, A et al (2003) Diagnosis and treatment of concomitant venous obstruction in patients with secondary lymphedema. *J Vasc Intervent Radiol.* 13,799-803
196. Szuba, A et al (2000) Decongestive lymphatic therapy for patients with cancer-related or primary lymphedema. *Am J Med.* 109, 296-300
197. Szuba, A et al (1998) Lymphedema: classification, diagnosis and therapy. *Vasc Med,* 3, 145-156
198. Szuba, A et al (1997) Lymphedema: anatomy, physiology and pathogenesis. *Vasc Med,* 4,321-6
199. Olszewski, W. (2010) Tissue fluid pressure and flow in the subcutaneous tissue in lymphedema-hints for manual and pneumatic compression therapy. *Phlebology.* 17, 144-50
200. Olszewski, W (2009) Anatomical distribution of tissue fluid and lymph in soft tissues of lower limbs in obstructive lymphedema-hints for physiotherapy. *Phlebology.* 16, 283-289.
201. Brice, G et al (2002) Analysis of the phenotypic abnormalities in lymphoedema-distichiasis syndrome in 74 patients with FOXC2 mutations or linkage to 16q24. *J Med Genet,* 39, 478-483.
202. Moseley A, et al. (2008) Exercise for Limb Lymphoedema: evidence that it is beneficial. *J Lymphoedema.* 3,51-56
203. Gultig, O (2005) Lymphoedema bandaging for the head, breast and genitalia. In Calne, S. Editor. *European Wound Management Association (EWMA). Focus Document: Lymphoedema bandaging in practice.* London: MEP Ltd, 2-4
204. National Lymphedema Network Position Papers, [www.lymphnet.org](http://www.lymphnet.org)
205. Czerneic, S et al (2010) Segmental measurement of breast cancer-related arm lymphoedema using perometry and bioimpedance spectroscopy. *Support Care Cancer.* Online DOI: 10.1007/s00520-010-0896-8
206. Gergich, N et al (2008) Preoperative assessment enables the early diagnosis and successful treatment of lymphedema. *Cancer.* 112, 2809-2819.

**Additional References:**

1. Weissleder, H and Schuchhardt, C. *Lymphedema*
2. *Diagnosis and Therapy*, 4th edition. ViaVital, Verlag 2008
3. American Cancer Society, *ACS Complete Guide to Lymphedema: Understanding & Managing Lymph edema after Cancer Treatment*, ACS 2006
4. Foldi, M, Foldi, E, Kubik, S. *Textbook of Lymphology*, 6th Edition, Elsevier 2005
5. Kurz,I *Textbook of Dr Vodder's Manual Lymph Drainage Vol 2: Therapy* 4th edition, 1997.
6. Wittlinger, H & W., *Textbook of Dr Vodder's Manual Lymph Drainage Vol 1*, 7th Edition. 2004
7. Foldi, M, Strobenreuther, R. *Foundations of Manual Lymph Drainage* 3rd edition, Elsevier, 2005
8. Zuther JE. *Lymphedema Management: The Comprehensive Guide for Practitioners.* 2nd ed. New York, NY: Thieme; 2009